

Sulfuric Acid, N.F.
Multi-Compendial



Material No.: 9671-02
Batch No.: 0000162778
Manufactured Date: 2016/11/21
Retest Date: 2021/11/20

Certificate of Analysis

Meets B.P. Chemical Specifications, Meets E.P. Chemical Specifications, Meets N.F. Requirements,
GMP Manufactured Product

Test	Specification	Result
NF - Identification	Passes Test	PT
NF - Residue on Ignition	<= 0.005 %	< 0.005
NF - Chloride (Cl)	<= 0.005 %	< 0.005
NF - Arsenic (As)	<= 1 ppm	< 1
NF - Heavy Metals (as Pb)	<= 5 ppm	< 5
NF - Reducing Substances	Passes Test	PT
NF - Assay (as H ₂ SO ₄) (by acidimetry)	95.0 - 98.0 %	95.8
EP/BP - Identification A	Passes Test	PT
EP/BP - Identification B	Passes Test	PT
EP/BP - Appearance of Solution	Passes Test	PT
EP/BP - Chloride (Cl)	<= 50 ppm	< 50
EP/BP - Nitrate (NO ₃)	Passes Test	PT
EP/BP - Arsenic (As)	<= 1 ppm	< 1
EP/BP - Iron (Fe)	<= 25 ppm	< 25
EP/BP - Heavy Metals (as Pb)	<= 5 ppm	< 5
EP/BP - Assay (H ₂ SO ₄)	95.0 - 100.5 %	95.8

Bulk Pharmaceutical Chemical

CAUTION: For Manufacturing, processing or repackaging

No Class 1,2,3 or other solvents are used or produced in the manufacturing or purification of the product.

Country of Origin: US
Packaging Site: Phillipsburg Mfg Ctr & DC
Manufacturer: PBG
Manufacturer source batch: 0000159669



Phillipsburg, NJ 9001:2008, 14001:2004, FSSC 22000
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003
Gliwice, Poland 9001:2008, 13485:2012
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2008
Panoli, India 9001:2008

Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.573.2600
Avantor Performance Materials, LLC.

3477 Corporate Parkway. Center Valley, PA 18034. U.S.A. Phone: 610.573.2600 . Fax: 610.573.2610