

Material No.: 4117-04 Batch No.: 22D1961036

Manufactured Date: 2021-06-17 Retest Date: 2026-06-16 Release Date: 2022-06-02

Revision No.: 0

Certificate of Analysis

Meets J.P. Chemical Specifications, Meets B.P. Chemical Specifications, Meets N.F. Requirements, Meets E.P. Chemical Specifications, GMP Manufactured Product

| Test | Specification | Result |
|--|----------------|-------------|
| NF – Acid Value | ≤ 2.0 | 1.1 |
| NF - Hydroxyl Value | 65 - 80 | 77 |
| NF - Identification A | Passes Test | Passes Test |
| NF – Identification B | Passes Test | Passes Test |
| NF – Residue on Ignition | ≤ 0.25 % | 0.12 % |
| NF – Saponification Value | 45 - 55 | 50 |
| NF - Specific Gravity at 25°C | 1.06 - 1.09 | 1.07 |
| NF – Viscosity at 25°C, cSt | 300 - 500 | 396 |
| NF – Water (H ₂ O) | ≤ 3.0 % | 0.1 % |
| NF – Peroxide Value | ≤ 10.0 | < 0.1 |
| NF – Ethylene Oxide | ≤ 1 ppm | < 1 ppm |
| NF - Dioxane | ≤ 10 ppm | < 10 ppm |
| NF – Composition of Fatty Acids – Myristic Acid | ≤ 5.0 % | 0.3 % |
| NF - Composition of Fatty Acids - Palmitic Acid | ≤ 16.0 % | 8.1 % |
| NF - Composition of Fatty Acids - Palmitoleic Acid | ≤ 8.0 % | 0.1 % |
| NF - Composition of Fatty Acids - Stearic Acid | ≤ 6.0 % | 2.2 % |
| NF – Composition of Fatty Acids – Oleic Acid | ≥ 58.0 % | 75.4 % |
| NF - Composition of Fatty Acids - Linoleic Acid | ≤ 18.0 % | < 0.1 % |
| NF - Composition of Fatty Acids - Linolenic Acid | ≤ 4.0 % | < 0.1 % |
| EP – Acid Value | ≤ 2.0 | 1.1 |
| EP – Total Ash | ≤ 0.25 % | 0.12 % |
| EP – Hydroxyl Value | 65 - 80 | 77 |
| EP – Identification A | Passes Test | Passes Test |
| EP – Identification D | Passes Test | Passes Test |
| EP – Peroxide Value | ≤ 10.0 | < 0.1 |
| EP – Ethylene Oxide | ≤ 1 ppm | < 1 ppm |
| EP - Dioxan | ≤ 10 ppm | < 10 ppm |
| EP - Saponification Value | 45 – 55 | 50 |

>>> Continued on page 2 >>>



Material No.: 4117-04 Batch No.: 22D1961036

| Test | Specification | Result |
|---|----------------|-------------|
| EP – Water (H₂O) | ≤ 3.0 % | 0.1 % |
| EP/BP – Composition of Fatty Acids – Myristic Acid | ≤ 5.0 % | 0.3 % |
| EP/BP - Composition of Fatty Acids - Palmitic Acid | ≤ 16.0 % | 8.1 % |
| EP/BP - Composition of Fatty Acids - Palmitoleic Acid | ≤ 8.0 % | 0.1 % |
| EP/BP - Composition of Fatty Acids - Stearic Acid | ≤ 6.0 % | 2.2 % |
| EP/BP – Composition of Fatty Acids – Oleic Acid | ≥ 58.0 % | 75.4 % |
| EP/BP – Composition of Fatty Acids – Linoleic Acid | ≤ 18.0 % | < 0.1 % |
| EP/BP – Composition of Fatty Acids – Linolenic Acid | ≤ 4.0 % | < 0.1 % |
| Appearance | Passes Test | Passes Test |
| JP – Acid Value | ≤ 2.0 | 1.1 |
| JP – Composition of Fatty Acids – Myristic Acid | ≤ 5.0 % | 0.3 % |
| JP – Composition of Fatty Acids – Palmitic Acid | ≤ 16.0 % | 8.1 % |
| JP - Composition of Fatty Acids - Palmitoleic Acid | ≤ 8.0 % | 0.1 % |
| JP – Composition of Fatty Acids – Stearic Acid | ≤ 6.0 % | 2.2 % |
| JP – Composition of Fatty Acids – Oleic Acid | ≥ 58.0 % | 75.4 % |
| JP – Composition of Fatty Acids – Linoleic Acid | ≤ 18.0 % | < 0.1 % |
| JP – Composition of Fatty Acids – Linolenic Acid | ≤ 4.0 % | < 0.1 % |
| JP – Dioxane | ≤ 10 ppm | < 1 ppm |
| JP – Ethylene Oxide | ≤ 1 ppm | < 1 ppm |
| JP – Heavy Metals (as Pb) | ≤ 20 ppm | < 20 ppm |
| JP – Hydroxyl Value, meq KOH/g | 65 - 80 | 77 |
| JP – Identification | Passes Test | Passes Test |
| JP – Peroxide Value | ≤ 10.0 | < 0.1 |
| JP – Residue on Ignition | ≤ 0.25 % | 0.12 % |
| JP – Water (H2O) | ≤ 3.0 % | 0.1 % |
| JP – Saponification Value | 45 – 55 | 50 |
| Additional Tests - Color (Gardner) | ≤ 7 | 5 |
| Additional Tests - Odor (Faint) | Passes Test | Passes Test |
| Additional Tests - Water (H2O) | ≤ 0.2 % | 0.1 % |
| Additional Tests - Peroxide Value, meqO2/kg | ≤ 2.0 | < 0.1 |
| Additional Tests - Endotoxin Concentration (EU/mL) | ≤ 10 | < 2 |
| Free Ethylene Oxide | ≤ 1 ppm | < 1 ppm |

>>> Continued on page 3 >>>



Material No.: 4117-04 Batch No.: 22D1961036

| Test | Specification | Result |
|---|---------------|-------------|
| 1,4-Dioxane | ≤ 5 ppm | < 1 ppm |
| Microbiological - Total Aerobic Microbial Count (cfu/g) | ≤ 100 | < 10 |
| Microbiological – Escherichia Coli | Passes Test | Passes Test |
| Microbiological – Pseudomonas aeruginosa | Passes Test | Passes Test |
| Microbiological – Salmonella | Passes Test | Passes Test |
| Microbiological – Staphylococcus aureus | Passes Test | Passes Test |
| Microbiological – Total Yeast and Mold Count (cfu/g) | ≤ 50 | < 50 |
| Residual Solvents – Ethylene Glycol, For Information Only | | < 1 ppm |
| Residual Solvents – Acetic Acid, For Information Only | | 369 ppm |
| Residual Solvents – 2–Propanol, For Information Only | | 1 ppm |

GMP Manufactured Product Bulk Pharmaceutical Chemical

CAUTION: For Manufacturing, processing or repackaging

Vegetable Based

This product utilizes ingredients of non-animal origin and non-peanut origin.

Suitable for use in the manufacture of parenteral dosage forms.

Only Class 2 (1,4 Dioxane, Ethylene Glycol) and Class 3 (acetic acid, 2-propanol) solvents are likely to be present.

Class 2

solvents $\,$ are below the Option 1 limits and $\,$ any Class 3 solvent is <0.5%.

Typical Oleic Acid Content, 77%

Elemental Impurities (USP 232, EP 5.20) – Information on elemental impurities for this product is available on the associated Product Regulatory Data Sheet and elemental impurity profile report.

Due to the anhydrous nature of this product, sodium oleate, a carboxylate salt/soap formed naturally in the process and which can be white to brown in color, can precipitate with time and may affect product viscosity.

Country of Origin: USA

Packaging Site: Paris Mfg Ctr & DC

Manufacturer: P0103002

Manufacturer source batch: 0001866328

