

PIPES  
Ultrapure Bioreagent  
(piperazine-N,N'-bis(2-ethanesulfonic acid))



Material No.: 4265-01  
Batch No.: 0000018675  
Manufactured Date: 2010/03/10  
Retest Date: 2015/03/09

## Certificate of Analysis

Test	Specification	Result
Assay (C <sub>8</sub> H <sub>18</sub> N <sub>2</sub> O <sub>6</sub> S <sub>2</sub> )	>= 99.0 %	99.1
Appearance	Passes Test	PT
DNase Activity (None Detected)	Passes Test	PT
RNase Activity	Passes Test	PT
Protease Activity	Passes Test	PT
ACS - Heavy Metals (as Pb)	<= 5 ppm	< 3
ACS - Insoluble Matter	<= 0.005 %	< 0.001
Residue after Ignition	<= 0.30 %	< 0.10
pK <sup>a</sup> at 20°C	>= 0.00	6.80

For Laboratory, Research, or Manufacturing Use

Country of Origin: CN  
Packaging Site: Paris Mfg Ctr & DC



Phillipsburg, NJ 9001:2008, 14001:2004  
Paris, KY 9001:2008  
Mexico City, Mexico 9001:2008  
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003  
Gliwice, Poland 9001:2008, 17025:2005  
Selangor, Malaysia 9001:2008  
Dehradun, India, 9001:2008, 14001:2004, 13485:2003  
Mumbai, India, 9001:2008, 17025:2005  
Panoli, India 9001:2008

Richard M Siberski  
Global Director of Quality Assurance

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.573.2600  
Avantor™ Performance Materials Inc.

3477 Corporate Parkway, Suite #200, Center Valley, PA 18034. U.S.A. Phone: 610.573.2600 . Fax: 610.573.2610